



Database Problem Cars

General disclaimer Prins Autogassystemen BV:

The information contained in this archive is provided 'as is' without warranty of any kind. The entire risk as to the results and the performance of the information is assumed by the user, and in no event shall Prins Autogassystemen BV be liable for any consequential, incidental or direct damages suffered in the course of using the information in this archive. Use of the information contained in this archive are governed by their respective license agreements and may contain restrictions on use."

GB: To keep this list up-to-date, Prins is asking their clients to report any valve/valve seat problems (aftersales@prinsautogas.com)

DE: Damit diese Liste ständig aktuell ist, bittet Prins ihre Kunden, Ventil/Ventilsitz-Probleme zu melden (aftersales@prinsautogas.com).

FR: Afin de tenir cette liste à jour, Prins demande ses clients de bien vouloir signaler des problèmes de soupapes/sièges de soupape (aftersales@prinsautogas.com).

NL: Om deze lijst up-to-date te houden vraagt Prins zijn klanten om klep/klepzitting problemen te melden (aftersales@prinsautogas.com).

<https://www.prinsautogas.com/>

Support - Knowledge Base - Database Problem Cars

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
All 3 and 4 cylinder DI-engine	All	Various engines	All 3 and 4 cylinder DI-engine	All	VW				OF	ValveCare-DI installation See Installation manual ValveCare-DI for connections and settings Various online firmware available 042/..... AFC-2 platform 046/..... AFC-3.0 platform	Set calibration parameter [9809] ValveCare Enable: Yes When DTC 93 appears, contact Prins
Simple layout MPI engines	Various models	N.A	Various MPI engines	N.A	VW				OF	ValveCare-DI installation See Installation manual ValveCare-DI for connections and settings 042/000008 Find the vehicle/engine online or in this list. Read online release notes and kit composition for system configuration	Universal software for almost all non complex sequential MPI engines.
Simultaneous injection MPI engines	Various models	N.A	Various MPI engines	N.A	VW				OF	ValveCare-DI installation See Installation manual ValveCare-DI for connections and settings 042/000002 Read online release notes and kit composition for system configuration	Universal software for MPI engines with parallel/simultaneous injection strategy.
Pressure simulation MPI petrol	Various models	N.A	Various MPI engines	N.A	VW			PLSS	OF	ValveCare-DI installation See Installation manual ValveCare-DI for connections and settings 042/000009 Find the vehicle/engine online or in this list. When the vehicle is not present online, load this software, set the basic parameters and contact Prins.	Universal software for low petrol pressure simulation. Often needed when a MPI engine is equipped with a petrol pressure sensor.



Alfa-Romeo	159	1796	1.8 939 A4.000	2007 - 2011	VW					ValveCare-DI installation	
------------	-----	------	----------------	-------------	----	--	--	--	--	---------------------------	--



Audi	-	1984	2.0 ALT	-					OF	042/020028 Read online release notes and kit composition for system configuration	Uneven idling during warm-up phase when engine is in LPG mode.
Audi	Q5	1984	2.0 CDNC	2009-			PG			Program engine ECU with option "auxiliary heater installed"	Petrol gauge goes down on LPG
Audi	A4	2976	3.0 v6 ASN	2004-					OF	042/020032 Read online release notes and kit composition for system configuration	Engine is sensitive in cold operation for engine stall & hesitation / misfire CVT transmission
Audi	A6	4127	4.2 v8 ANK	-					OF	042/020036 Read online release notes and kit composition for system configuration	

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
-------	-------	----------------------	-------------	----------------------	----------------------------	---------------------------------	-------------------	---------------------------------------	----------------------	----------	-----------------------



BMW	Z4 (E89)	2497	2.5 N52B25	2008 - 2018					OF	042/030007 Read online release notes and kit composition for system configuration	
BMW	Z4 (E85)	2979	3.0 M54B30	2003 - 2006					OF	042/030006 Read online release notes and kit composition for system configuration	
BMW	M3 (E90/91/92/93)	3999	4.0 v8 S65B40	2007-2012					OF	042/030020 Read online release notes and kit composition for system configuration	
BMW	M5 (E60)	4999	5.0 v8 S85B50	2005 - 2010				PLSS	OF	042/030008 Read online release notes and kit composition for system configuration	Master-Slave (2x AFC)



Cadillac	CTS	3189	3.2 v6	2006			PG			Fill tank to 3/4.	
Cadillac	SRX	4565	4.6 v6 LH2	2003 - 2009	VW					ValveCare-DI installation	
Cadillac	Escalade	5966	6.0 v8 LQ9	2000 - 2006	VW					ValveCare-DI installation	
Cadillac	Escalade	6207	6.2 L94	2007-2014				PLSS	OF	042/050013 Read online release notes and kit composition for system configuration	



Chevrolet	Captiva	2384	2.4 A24XE	2012 -				PLSS	OF	042/060002 Read online release notes and kit composition for system configuration	
Chevrolet	Trailblazer	4160	4.2 Vortec LL8	-					OF	042/060020 Read online release notes and kit composition for system configuration	

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Chevrolet	Avalanche	5327	5.3 v8	2007			PG			091/0331	OBD DTC P0460 Fuel Level Sensor Circuit Malfunction
Chevrolet	Silverado	6000	6.0 v8 L96	2016 - 2019				PLSS	OF	042/060019 Read online release notes and kit composition for system configuration	
Chevrolet	-	6000	6.0 v8 L96	2015 - 2020					OF	042/060027 Read online release notes and kit composition for system configuration	CNG
Chevrolet	-	6000	6.0 v8 L96	2016 - 2020				PLSS	OF	042/060030 Read online release notes and kit composition for system configuration	LPG Petrol low pressure simulation
Chevrolet	Various models	See also General Motors	See also General Motors	See also General Motors	VW					ValveCare-DI installation	



Chrysler	Sebring	1996	2.0 ECC	2001 - 2007	VW					ValveCare-DI installation	
Chrysler	Voyager	3301	3.3 v6	2004-	VW					ValveCare-DI installation	
Chrysler	300C	3518	3.5 v6 EGG	2004>		IS				100 ohm / 5 watt parallel resistor (see last page)	
Chrysler	Pacifica	3604	3.6 v6 PentaStar	2016 - 2019				PLSS	OF	042/070001 Read online release notes and kit composition for system configuration	
Chrysler	Voyager	3778	3.8 v6 EGH	2007		IS				Use AFC-2.1 FULL 8D IM2 180/700033	
Chrysler	Town & Country	3952	4.0 v6 EGQ	2009		IS				100 ohm / 5 watt parallel resistor (see last page)	
Chrysler	Pacifica	3952	4.0 v6 EGQ	2006		IS				Use AFC-2.1 FULL 8D IM2 180/700033	
Chrysler	all models USA / Canada edition	-	-	-1999			PG			Inform customer	DTC No fuel consumption over miles

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
-------	-------	----------------------	-------------	----------------------	----------------------------	---------------------------------	-------------------	---------------------------------------	----------------------	----------	-----------------------



Chrysler / Dodge / Jeep	Various models	1998	2.0 ECN	2006 >	VW					ValveCare-DI installation	
Chrysler / Dodge / Jeep	Various models	4701	4.7 v8 EVA	1999-2010	VW					ValveCare-DI installation	



Citroen	C1	998	1.0 CFB	2005 - 2014	VW					ValveCare-DI installation	
Citroen	Various models	1761	1.8 LFX	1997 - 2002	VW					ValveCare-DI installation	
Citroen	Various models	Various engines	Various engines	All			PG			Reset via CAN-bus BSI. Read Information Bulletin 291: PSA Petrol Gauge CAN Reset Info Information Or install Petrol reset module PSA (<2004:091/0233; >2004:091/0330)	Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.



Daewoo	Tacuma	1998	2.0 T20SED	2000 >	VW					ValveCare-DI installation	
--------	--------	------	------------	--------	----	--	--	--	--	---------------------------	--



Daihatsu	Various models	1298	1.3 K3-VE	2001 - 2005	VW					ValveCare-DI installation	
----------	----------------	------	-----------	-------------	----	--	--	--	--	---------------------------	--

DODGE

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Dodge	Caliber	1798	1.8 EBA	2006 - 2009	VW					ValveCare-DI installation	
Dodge	Caliber	2359	2.4 ED3	2006 >	VW					ValveCare-DI installation	
Dodge	Avenger	2360	2.4 EDG	2007 2014	VW					ValveCare-DI installation	
Dodge	Charger	2736	2.7 v6 EER	2007		IS				Use AFC-2.1 FULL 8D IM2 180/700033	
Dodge	Charger	3604	3.6 v6 Pentastar	2014		IS				Use AFC-2.1 FULL 8D IM2 180/700033 Or use 47 ohm / 5 watt parallel resistor (see last page)	
Dodge	Caravan	3604	3.6 v6 PentaStar	2014 - 2019					OF	042/120006 Read online release notes and kit composition for system configuration	
Dodge	Various models	3701	3.7 v6 EKG	2006-	VW	IS				ValveCare-DI installation Use AFC-2.1 FULL 8D IM2 180/700033	
Dodge	Various models	3778	3.8 v6 EGH	2007		IS				Use AFC-2.1 FULL 8D IM2 180/700033	
Dodge	Ram	5654	5.7 v8	2015 - 2018					OF	042/120001 Read online release notes and kit composition for system configuration	
Dodge	Durango	5654	5.7 v8	-2019					OF	042/120011 Read online release notes and kit composition for system configuration	
Dodge	Ram 2500	5654	5.7v8 EZA	2001 - 2008	VW					ValveCare-DI installation	
Dodge	Durango SRT8	6417	6.4 v8	-2019					OF	042/120010 Read online release notes and kit composition for system configuration	
Dodge	Ram	5654	5.7 v8	2015 - 2018					OF	042/120005 Read online release notes and kit composition for system configuration	eVP-500 only
Dodge	Ram	5654	5.7 v8	2019-					OF	042/120014 Read online release notes and kit composition for system configuration	eVP-500 only

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
-------	-------	----------------------	-------------	----------------------	----------------------------	---------------------------------	-------------------	---------------------------------------	----------------------	----------	-----------------------



FIAT CHRYSLER AUTOMOBILES

FCA (Fiat/Chrysler/Jeep)	Various models	1368	1.4 16v multi air	2015-					OF	042/710003 Read online release notes and kit composition for system configuration	
FCA (Fiat/Chrysler/Jeep)	-	3604	3.6 v6 EVG	2007-		IS				Use AFC-2.1 FULL 8D IM2 180/700033	



Fiat	Doblo (Cargo)	1368	1.4 350 A1.000	2005 >	VW					ValveCare-DI installation	
------	---------------	------	----------------	--------	----	--	--	--	--	---------------------------	--



Ford	Ka	1242	1.2 FP4	2008 - 2017	VW					ValveCare-DI installation	
Ford	Fiesta	1299	1.3 A9JA JB	2003 - 2005	VW					ValveCare-DI installation	
Ford	Focus	1596	1.6 FYDA/B/C/D	1998-2001	VW					ValveCare-DI installation	
Ford	Focus	1596	1.6 HWD A/HWDB	2004-2008	VW					ValveCare-DI installation	
Ford	Focus	1796	1.8 EY..	1998 - 2004	VW					ValveCare-DI installation	
Ford	Mondeo	1798	1.8 CGBA / B	2000 - 2007	VW					ValveCare-DI installation	
Ford	Maverick	1989	2.0 YF	2001 >	VW					ValveCare-DI installation	

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Ford	Various models	1999	2.0 AOBA / BC	2004-	VW					ValveCare-DI installation	
Ford	Maverick II	2261	2.3 Duratec	2004 - 2007	VW			PLSS		ValveCare-DI installation Please contact Prins for more information/solution	Petrol pressure becomes too high -> bad running on petrol after switching
Ford	S-Max	2261	2.3 SEWA	2007 - 2015	VW					ValveCare-DI installation	
Ford	Cougar	2544 cc / 2495 cc June-> 2000	2.5 Duratec V6	2010 - 2012				PLSS		Set parameter TSO warm 60 sec / fit fuel return line	For 55 sec after starting the engine, an high petrol pressure is needed. After this period the petrol pressure as to be lowered.
Ford	S-Max	2521	2.5 HUWA	2006 - 2014	VW					ValveCare-DI installation	
Ford	Transit	3721	3.7 v6 Cyclone	2016-2019					OF	042/140130 Read online release notes and kit composition for system configuration	
Ford	Transit	3721	3.7 v6 Cyclone	2013 - 2019			PG		OF	042/140116 Tank level reset function on CONA22 & OBD Fix Read online release notes and kit composition for system configuration	Petrol gauge goes down on LPG P25B0
Ford	Mustang	3958	4.0 V6	2004-2010				PLSS	OF	042/140155 Read online release notes and kit composition for system configuration	
Ford	Explorer (U251)	4606	4.6 v8	2006-2010				PLSS	OF	042/140167 Read online release notes and kit composition for system configuration	
Ford	Grand Marquis	4606	4.6 v8	2003 - 2011				PLSS	OF	042/140141 Read online release notes and kit composition for system configuration	
Ford	Mustang		4.6/5.4	2005-2009				PLSS		Petrol simulation needed. No online firmware available. Contact Prins. Or install a 'Fuel return line'.	
Ford	F150	4951	5.0 v8 Coyote	2015 - 2017					OF	042/140064 Read online release notes and kit composition for system configuration	
Ford	F150	4951	5.0 v8 Coyote (Roush supercharged)	2013 - 2017					OF	042/140111 Read online release notes and kit composition for system configuration	After market Roush supercharger
Ford	-	5408	5.4 v8 Aftermarket supercharger	-				PLSS	OF	042/140180 Read online release notes and kit composition for system configuration	After market supercharger Only eVP-500
Ford	E/F Series	6207	6.2 v8 Boss	2010 - 2019			PG		OF	042/140117 Tank level reset function on CONA22 & OBD Fix Read online release notes and kit composition for system configuration	Petrol gauge goes down on LPG P25B0 1-tank version

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Ford	F250 Super Duty BAF ion	6207	6.2 v8 Boss	-					OF	042/140001 Read online release notes and kit composition for system configuration	CNG
Ford	E/F-Series	6207	6.2 v8 BOSS	2010-2020			PG		OF	042/140176 Tank level reset function on CONA22 & OBD Fix Read online release notes and kit composition for system configuration	CNG Blackstone regulator Petrol gauge goes down on LPG
Ford	E/F Series MX	6207	6.2 v8 Boss	2010 - 2019					OF	042/140142 Read online release notes and kit composition for system configuration	Default switch back to petrol not allowed 2- tank version
Ford	Raptor SVT	6210	6.2 v8 Whipple Charger	2015					OF	042/140178 Read online release notes and kit composition for system configuration	After market Whipple supercharger
Ford	F450	6760	6.8 v10	2000-2004					OF	042/140163 Read online release notes and kit composition for system configuration	Bi-Fuel
Ford	-	6760	6.8 v10	2017 - 2019					OF	042/140132 Read online release notes and kit composition for system configuration	HFMXE06.8BW6-6807
Ford	F550	6760	6.8 v10	2000-2004					OF	042/140143 Read online release notes and kit composition for system configuration	Monofuel
Ford	-	7292	7.3 v8 Godzilla	2020			PG		OF	042/140153 Tank level reset function on CONA22 & OBD Fix Read online release notes and kit composition for system configuration	Petrol gauge goes down on LPG
Ford	-	7292	7.3 v8 Godzilla	2020			PG		OF	042/140175 Tank level reset function on CONA22 & OBD Fix Read online release notes and kit composition for system configuration	CNG Blackstone regulator Petrol gauge goes down on LPG



Ford USA	All models	-	-	2003>			PG			Check for online firmware for the vehicle. When not available contact Prins for more information/solution	Petrol gauge goes down on LPG DTC P0460 becomes active after a driving a large distance
----------	------------	---	---	-------	--	--	----	--	--	--	--



General Motors	all models	-	-	2007 -			PG	PLSS		Please contact Prins for more information/solution	OBD DTC 0460 till 0464 possible
General Motors	Various models	3460	3.5 L52	2004-2008	VW					ValveCare-DI installation	

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
General Motors	Various models	4811	4.8 v8 LR4	1999-2008	VW					ValveCare-DI installation	
General Motors	Various models	5327	5.3 v8 LH8	1999-2008	VW					ValveCare-DI installation	
General Motors	Various models	5967	6.0 v8 LQ4 / LQ9	1999-2008	VW					ValveCare-DI installation	



GMC	Hummer	6207	6.2 v8 L92	-				PLSS	OF	042/490016 Read online release notes and kit composition for system configuration	
-----	--------	------	------------	---	--	--	--	------	----	--	--



Honda	Civic	1799	-	2006-2009			PG			AEB 393 module type H	Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.
Honda	Civic	1799	1.8 R18A1 / 2	2005 - 2012	VW					ValveCare-DI installation	
Honda	CR-V	1997	2.0 R-20A	2014					OF	042/150001 Read online release notes and kit composition for system configuration	Engine shocks on LPG 2000-5000rpm
Honda	Accord	1997	2.0 R20A3	2008 >	VW					ValveCare-DI installation	
Honda	CRV	2354	2.4 K24Z4	2009 >	VW					ValveCare-DI installation	
Honda	CRV	-	-	2009			PG			No solution	Petrol gauge goes down on LPG Digital dashboard

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
-------	-------	----------------------	-------------	----------------------	----------------------------	---------------------------------	-------------------	---------------------------------------	----------------------	----------	-----------------------



Hyundai	All	998	1.0 G3LC	2018→	VW					Mandatory ValveCare-DI installation	
Hyundai	I20	1396	1.4 G4FA	2008 - 2015	VW					ValveCare-DI installation	
Hyundai	Various models	1396	1.4 G4FA	2007-	VW					ValveCare-DI installation	
Hyundai	All	1591	1.6 G4FD	2018→	VW					Mandatory ValveCare-DI installation	
Hyundai	All	1591	1.6 G4FJ	2018→	VW					Mandatory ValveCare-DI installation	
Hyundai	All	1591	1.6 G4LD	2020→	VW					Mandatory ValveCare-DI installation	
Hyundai	All	1591	1.6 G4LE	2016→	VW					Mandatory ValveCare-DI installation	
Hyundai	Tucson	1975	2.0 G4GC / G	2002 - 2009	VW					ValveCare-DI installation	
Hyundai	Trajet	1997	2.0 G4JP	2000-2008	VW					ValveCare-DI installation	
Hyundai	Space Gear	1997	2.0 4G63			IS				47 ohm / 5 watt parallel resistor (see last page)	
Hyundai	Sonata	2359	2.4 G4KC	2006 - 2008	VW					ValveCare-DI installation	
Hyundai	Sonata	2359	2.4 G4KC (Australian edition)	2007			PG			No solution	Australian edition Petrol gauge goes down on LPG until tank is empty. No reset of indication after restart.
Hyundai	Santa Fe	2656	2.7 G6EA	2004 - 2006	VW					ValveCare-DI installation	

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
-------	-------	----------------------	-------------	----------------------	----------------------------	---------------------------------	-------------------	---------------------------------------	----------------------	----------	-----------------------



INFINITI.

Infinity	FX35	3498	3.5 v6 VQ35DE	2003 - 2008	VW					ValveCare-DI installation	
----------	------	------	---------------	-------------	----	--	--	--	--	---------------------------	--



Isuzu	NPR GMPT	6000	6.0 v8 L96						OF	042/500004 Read online release notes and kit composition for system configuration	
-------	----------	------	------------	--	--	--	--	--	----	--	--



Jaguar	X-type	2495	2.5 v6	2004-2009				PLSS		Please contact Prins for more information/solution. Or fit AEB simulator, P/N AEB431	
Jaguar	XJ8	4196	4.2 v8 (224kW)	2004-2009				PLSS	OF	042/180002 Read online release notes and kit composition for system configuration	
Jaguar	XF	4196	4.2 v8 Supercharged (306kW)	-				PLSS	OF	042/180001 Read online release notes and kit composition for system configuration	Supercharged
Jaguar	-	4198	4.2 v8	1998		IS				47 ohm / 5 watt parallel resistor (see last page)	
Jaguar	Various models	Various engines	2.5 v6/3.0 v6/4.2 v8	All				PLSS		Please contact Prins for more information/solution	



Jeep	Renegade	1368	1.4 16v Multi air	-					OF	042/190001 Read online release notes and kit composition for system configuration	
Jeep	Compass	2360	2.4 ERZ	2006		IS				Use AFC-2.1 FULL 8D IM2 180/700033	

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Jeep	Trackhawk	6166	6.2 v8 Hellcat (527kW)	2018-				PLSS	OF	042/190003 Read online release notes and kit composition for system configuration	
Jeep	Grand Cherokee	6423	6.4 v8 SRT	2015-2019					OF	042/190004 Read online release notes and kit composition for system configuration	eVP-500 only



Kia	All	998	1.0 G3LC	2018→	VW					Mandatory ValveCare-DI installation	
Kia	Picanto	1197	1.2 G4LF (twin injector)	2020-					OF	042/200064 Read online release notes and kit composition for system configuration	eVP-500 only Twin MPI injectors / 2 petrol injectors per cylinder
Kia	Various models	1396	1.4 G4FA	2006-	VW					ValveCare-DI installation	
Kia	Various models	1591	1.4 G4FC	2006 - 2012	VW					ValveCare-DI installation	
Kia	All	1591	1.6 G4FD	2018→	VW					Mandatory ValveCare-DI installation	
Kia	All	1591	1.6 G4FJ	2018→	VW					Mandatory ValveCare-DI installation	
Kia	All	1591	1.6 G4LD	2020→	VW					Mandatory ValveCare-DI installation	
Kia	All	1591	1.6 G4LE	2016→	VW					Mandatory ValveCare-DI installation	
Kia	Sportage	1998	2.0 G4KD	2011					OF	042/200002 Read online release notes and kit composition for system configuration	



Lada	Kalina 1117 / 11118 / 1119	1499	1.5 VAZ-21114	2004 - 2013	VW					ValveCare-DI installation	
------	----------------------------	------	---------------	-------------	----	--	--	--	--	---------------------------	--

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Lada	Vesta	1589	1.6 GFL13	2018-2020					OF	042/210002 Read online release notes and kit composition for system configuration	
Lada	Various models	1597	1.6 VAZ-21126	2007-	VW					ValveCare-DI installation	
Lada	Niva	1690	1.7 BA3 21214	2000 - 2006	VW					ValveCare-DI installation	
											
Lancia	Various models	3604	3.6 v6 ERB	2012		IS				47 ohm / 5 watt parallel resistor (see last page)	



Land Rover / Range Rover	Range Rover Sport	4197	4.2 v8 (291kW)	-					OF	042/230006 Read online release notes and kit composition for system configuration	Supercharged
Land Rover / Range Rover	Various models	4394	4.4 v8 448PN	2005 - 2013	VW					ValveCare-DI installation	



Lexus	RX300	2995	3.0 v6 1MZ-FE	2001 - 2006	VW					ValveCare-DI installation	
-------	-------	------	---------------	-------------	----	--	--	--	--	---------------------------	--



Lincoln	Eviator	-	-	2008		IS				Fit a 10-160 Ohm tank sensor element. Connect this to the petrol fuel level gauge.	Check engine on petrol indication
---------	---------	---	---	------	--	----	--	--	--	--	-----------------------------------

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
-------	-------	----------------------	-------------	----------------------	----------------------------	---------------------------------	-------------------	---------------------------------------	----------------------	----------	-----------------------



Mazda	2	1348	1.3 ZJ	-					OF	042/250002 Read online release notes and kit composition for system configuration	
Mazda	3 (BK)	1598	1.6 B6ZE	2003 - 2009	VW					ValveCare-DI installation	
Mazda	Various models	1798	1.8 L8-xx	2001-	VW					ValveCare-DI installation	
Mazda	Tribute	1989	2.0 YF	2000 - 2008	VW					ValveCare-DI installation	
Mazda	Tribute	2261	2.3 L L3-VE	2007-2011					OF	Please contact Prins for more information/solution	Petrol pressure becomes too high -> bad running on petrol after switching
Mazda	6 (GH)	-	All engines	2007 - 2013			PG			Use the dealer tool to disable parameter "fuel logic". The petrol gauge will not be calculated anymore, but depends on floater level.	Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.



Mercedes	All	1192	1.2 M200.711	All	VW					Mandatory ValveCare-DI installation	
Mercedes	All	1332	1.3 M282.914	All	VW					Mandatory ValveCare-DI installation	
Mercedes	Sprinter	1796	1.8 kompressor M271	-	VW				OF	ValveCare-DI installation 042/260017 Read online release notes and kit composition for system configuration	6 speed manual
Mercedes	C / E180	1796	1.8 M271	-					OF	042/260031 Read online release notes and kit composition for system configuration	
Mercedes	Vaneo	1898	1.9 M166.991	2002-2005	VW					ValveCare-DI installation	
Mercedes	Sprinter	3498	3.5 v6 M272	-	VW				OF	ValveCare-DI installation 042/260018 Read online release notes and kit composition for system configuration	Automatic transmission

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Mercedes	55 AMG	5439	5.4 v8 M113K	-					OF	042/260098 Read online release notes and kit composition for system configuration	
Mercedes	ML	6208	6.2 v8 63 AMG	2006-2011				PLSS	OF	042/260049 Read online release notes and kit composition for system configuration	
Mercedes	C / E / ML 63 AMG	6208	6.2 v8 M156	-				PLSS	OF	042/260099 Read online release notes and kit composition for system configuration	
Mercedes	Various models	1498 / 1699 / 2034	1.5/1.7/2.0 M266.920 / 940 / 960	2004 - 2012	VW					ValveCare-DI installation Fit special LPG cylinder head original Mercedes	
Mercedes	Various models	1799 / 1998 / 2199 / 2295	1.8/2.0/2.2/2.3 M111	1992-2003		IS				Use AFC-2.1 FULL 8D IM2 180/700033	
Mercedes	ML	All engines	Various engines	2001-2002			PG			AEB 391 module type R fuse nr.7 right under dash, take fuse holder out (green wire = signal wire)	Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.
Mercedes	Sprinter	Various engines	Various engines	06-2006>			PG			Program the car as parking heater model at Mercedes dealer, code J51.	Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.
Mercedes	B-class	Various engines	Various engines	2006			PG			Mercedes B reset module	Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.
Mercedes	A-class	Various engines	Various engines	2005			PG				Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.
Mercedes	Various models	Various engines	2.8/3.0/3.2/3.4/3.6 M104	1989-1999		IS				47 ohm / 5 watt parallel resistor (see last page)	
Mercedes	Vito 119	Various engines	Various engines	2007			PG				Europe Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.



Mitsubishi	Colt VI	1124	1.1 3A91	2004 - 2012	VW					ValveCare-DI installation	
Mitsubishi	Colt VI	1332	1.3 4A90	2004 - 2012	VW					ValveCare-DI installation	

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Mitsubishi	Various models	1332	1.3 4A90	2004-	VW					ValveCare-DI installation	
Mitsubishi	Various models	1499	1.5 4A91	2008 >	VW					ValveCare-DI installation	
Mitsubishi	Various models	1590	1.5 4A92	2010-	VW					ValveCare-DI installation	
Mitsubishi	Lancer	1798	1.8 4B10	2008 - 2010	VW					ValveCare-DI installation	
Mitsubishi	Space Gear	1997	2.0 4G63	-		IS				47 ohm / 5 watt parallel resistor (see last page)	
Mitsubishi	Outlander PHEV	1998	2.0 4B11	2014 >	VW					ValveCare-DI installation	
Mitsubishi	Outlander	2351	2.4 4G64	2003 - 2006	VW					ValveCare-DI installation	
Mitsubishi	Grandis	2378	2.4 4G69	2004 - 2011	VW					ValveCare-DI installation	
Mitsubishi	Sigma	2972	3.0 v6 6G72	1990-1996						No solution available	



Nissan	All	1192	1.2 HR12DDT	All	VW					Mandatory ValveCare-DI installation	
Nissan	All	1192	1.2 HRA2	All	VW					Mandatory ValveCare-DI installation	
Nissan	Micra (K12E)	1240	1.2 CR12DE	2003 - 2010	VW					ValveCare-DI installation	
Nissan	All	1332	1.3 HR13DDT	All	VW					Mandatory ValveCare-DI installation	

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Nissan	Various models	1598	1.6 HR16DE	2002-	VW					ValveCare-DI installation	
Nissan	Various models	1598	1.6 HR16DE (twin injector)	2006-	VW				OF	ValveCare-DI installation 042/290007 Read online release notes and kit composition for system configuration	Twin MPI injectors / 2 petrol injectors per cylinder
Nissan	Various models	1618	1.6 MR16DDT	2004-	VW					Mandatory ValveCare-DI installation	
Nissan	X-Trail (T30)	1998	2.0 QR20DE	2001 - 2013	VW					ValveCare-DI installation	
Nissan	X-trail	2488	2.5 QR25	-	VW				OF	ValveCare-DI installation 042/290012 Engine speed signal Camshaft Read online release notes and kit composition for system configuration	eVP-500 only RPM signal not usable with default parameter settings
Nissan	Various models	3498	3.5 v6 VQ35DE	2004 - 2007	VW					ValveCare-DI installation	
Nissan	Infiniti FX 37s	3696	3.7 v6 VQ37VHR	2010					OF	042/290002 Read online release notes and kit composition for system configuration	
Nissan	Various models	3954	4.0 v6 VQ40DE	2005-					OF	042/290009 Read online release notes and kit composition for system configuration	KNSXT04.0G6A-40
Nissan	NV2500	3954	4.0 v6 VQ40DE	2012 - 2018					OF	042/290011 Read online release notes and kit composition for system configuration	



Opel	Astra	1364	1.4 A14 NEL / NET	2012	VW				OF	ValveCare-DI installation 042/300007 Read online release notes and kit composition for system configuration	CNG
Opel	Astra	1364	1.4 A14 NEL / NET	2012	VW				OF	ValveCare-DI installation 042/300008 Read online release notes and kit composition for system configuration	CNG
Opel	Astra	1364	1.4 A14 NET	2009-2015					OF	042/300001 Read online release notes and kit composition for system configuration	CNG Non-universal Software
Opel	Astra	1364	1.4 A14 NET	2009-2015	VW				OF	ValveCare-DI installation 042/300002 Read online release notes and kit composition for system configuration	CNG Non-universal Software

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Opel	Astra	1364	1.4 A14NEL	2012	VW				OF	ValveCare-DI installation 042/300010 Read online release notes and kit composition for system configuration	LPG
Opel	Astra	1364	1.4 A14NET	2010 - 2012	VW			PLSS	OF	042/300030 Read online release notes and kit composition for system configuration	LPG Universal Software
Opel	Various models	1364	1.4 Z14XEP	2004 - 2010	VW					ValveCare-DI installation	
Opel	Insignia	1598	1.6 A16LET	2009 - 2013	VW					ValveCare-DI installation	
Opel	Various models	1598	1.6 Z16XE1	2004 - 2010	VW					ValveCare-DI installation	
Opel	Various models	1598	1.6 Z16XEP	1994 - 2010	VW					ValveCare-DI installation	
Opel	Various models	1598	1.6 Z16XER	2006 - 2015	VW					ValveCare-DI installation	
Opel	Various models	1796	1.8 Z18XER	2006 - 2015	VW					ValveCare-DI installation	
Opel	Insignia OPC	2796	2.8 v6 A28NER	2010-2017				PLSS	OF	042/300015 Read online release notes and kit composition for system configuration	Engine hesitation and misfire at high engine load, P067C set Petrol low pressure simulation



Peugeot	107	998	1.0 CFA / CFB	2005 - 2014	VW					ValveCare-DI installation	
Peugeot	206+	1360	1.4 KFW (TU3A)	2009 - 2013	VW					ValveCare-DI installation	
Peugeot	Various models	Various engines	Various engines	All			PG			Reset via CAN-bus BSI. Read Information Bulletin 291: PSA Petrol Gauge CAN Reset Info Information Or install Petrol reset module PSA (<2004:091/0233; >2004:091/0330)	Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.



Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Porsche	Cayenne (9PA)	3189	3.2 v6 M02.2Y	2003 - 2007	VW					ValveCare-DI installation	
Porsche	Cayenne	3598	3.6 v6 M55	2007 - 2010	VW					ValveCare-DI installation	
Porsche	Cayenne S	4511	4.5 v8 M48.50S	2004 - 2007	VW					ValveCare-DI installation	
Porsche	Cayenne 4.5 V8 Turbo	4511	4.5 v8 turbo	2002-2006					OF	042/330006 Read online release notes and kit composition for system configuration	



PSA group	Various models	Various engines	Various engines	2005 ->			PG			Reset via CAN-bus BSI. Read Information Bulletin 291: PSA Petrol Gauge CAN Reset Info Information Or install Petrol reset module PSA (<2004:091/0233; >2004:091/0330)	Petrol gauge goes down on LPG
-----------	----------------	-----------------	-----------------	---------	--	--	----	--	--	--	-------------------------------



Renault	Various models	1149	1.2 D4F	2001 - 2013	VW					ValveCare-DI installation	
Renault	Clio	1149	1.2 D4FT	2005-2012					OF	042/350004 Read online release notes and kit composition for system configuration	
Renault / Dacia	All	1192	1.2 H5F TCe...	All	VW					Mandatory ValveCare-DI installation	
Renault	Megane	1397	1.4 H4J	2008-	VW					ValveCare-DI installation	
Renault / Dacia	Various models	1390	1.4 K7J xxx	1997-2010	VW					ValveCare-DI installation	
Renault / Dacia	Various models	1598	1.4 K7M xxx	1995-	VW					ValveCare-DI installation	
Renault	Megane II	1598	1.6 K4M	2001 - 2005	VW					ValveCare-DI installation	

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Renault	Megane RS	1998	2.0 F4R (330HP)	2010 - 2016					OF	042/350027 Read online release notes and kit composition for system configuration	eVP-500 only
Renault	Various models	1998	2.0 M4R	2007-	VW					ValveCare-DI installation	
Renault	Various models	3498	3.5 v6 V4Y	2002 - 2010	VW	IS				ValveCare-DI installation 47 ohm / 5 watt parallel resistor (see last page) Do not use AFC 180/700033/D	
Renault	Espace	-	-	> 2003			PG			AEB 392 module type P	Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.
Renault	Espace	-	-	2001-2002			PG			AEB 391 module type R	Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.
Renault	Avantime	-	-	2007			PG			AEB 391 module type R	Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.
Renault	Vel Satis	-	-	2007			PG			AEB 391 module type R	Petrol gauge goes down on LPG until tank is empty. No reset of gauge after restart.



Saab	9- versions	1796	1.8 Z18XE	2004 - 2015	VW					ValveCare-DI installation	
Saab	9- versions	1998	2.0 B207E / L	2003 - 2015	VW					ValveCare-DI installation	
Saab	9-5	2796	2.8 v6 A28NER	2010-2011				PLSS	OF	042/360001 Read online release notes and kit composition for system configuration	Engine hesitation and misfire at high engine load, P067C set Petrol low pressure simulation
Saab	9- 7X	4157	4.2 v6 LL8	2005 - 2012	VW					ValveCare-DI installation	
Saab	9- 7X	5327	5.3 v8 LH6	2007 - 2012	VW					ValveCare-DI installation	
Saab	97x	5327	5.3 v8 LS2	2006			PG			Fill tank to 3/4.	Petrol gauge does not go down during driving on LPG but after a while the gauge will be switched off. No reset after starting, no error code will become active.

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
-------	-------	----------------------	-------------	----------------------	----------------------------	---------------------------------	-------------------	---------------------------------------	----------------------	----------	-----------------------



SEAT

Seat	Ibiza (6L)	1198	1.2 BXV	2006 - 2009	VW					ValveCare-DI installation	
Seat	Leon cupra R	1781	1.8 BAM	2003 - 2006	VW					ValveCare-DI installation	
Seat	Alhambra	1984	2.0 ATM	1996 - 2010	VW					ValveCare-DI installation	



Skoda	Fabia	1984	2.0 AZL	2000 - 2008	VW					ValveCare-DI installation	
-------	-------	------	---------	-------------	----	--	--	--	--	---------------------------	--



smart

Smart	Forfour	1124	1.1 M134.910	2004 - 2006	VW					ValveCare-DI installation	
Smart	Forfour	1332	1.3 M135.930	2004 - 2006	VW					ValveCare-DI installation	
Smart	Forfour	1499	1.5 M134.950	2004 - 2006	VW					ValveCare-DI installation	



SSANGYONG

SsangYong	Tivoli	1597	1.6 Tenergy	2016-2019					OF	042/620001 Solution for petrol tank level DTC Read online release notes and kit composition for system configuration	Tank level DTC Only Korea
-----------	--------	------	-------------	-----------	--	--	--	--	----	--	------------------------------

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
-------	-------	----------------------	-------------	----------------------	----------------------------	---------------------------------	-------------------	---------------------------------------	----------------------	----------	-----------------------



Subaru	Forester	2498	2.5 FB25	2011-2018					OF	042/400004 Read online release notes and kit composition for system configuration	
Subaru	Various models	-	EJ 255, EJ253, EJ204, FB20	2011 - 2015	VW					ValveCare-DI installation	



Suzuki	Various models	998	1.0 K10C Dualjet (twin-injector)	2015-2018					OF	042/410006 Read online release notes and kit composition for system configuration	Twin MPI injectors / 2 petrol injectors per cylinder
Suzuki	Various models	1328	1.3 M13A	2000 >	VW					ValveCare-DI installation	
Suzuki	Various models	1586	1.6 M16A	2001 >	VW					ValveCare-DI installation	
Suzuki	Grand Vitara	1995	2.0 J20A	2005 - 2015	VW					ValveCare-DI installation	
Suzuki	Grand Vitara	2393	2.4 J24B	2009 >	VW					ValveCare-DI installation	



Toyota	Aygo	998	1.0 1KR-FE	2005 >	VW					ValveCare-DI installation	
Toyota	Verso-S	1297	1.3 1NR-FE	2008-	VW				OF	ValveCare-DI installation 042/420003 Read online release notes and kit composition for system configuration	
Toyota	Yaris (P9)	1298	1.3 2SZ-FE	2005 - 2010	VW					ValveCare-DI installation	

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Toyota	Corolla	1398	1.4 4ZZ-FE	2001 - 2007	VW					ValveCare-DI installation	
Toyota	Auris Hybrid	1798	1.8 2ZR-FXE	2015					OF	042/420010 Read online release notes and kit composition for system configuration	CNG
Toyota	Prius	1798	1.8 2ZR-FXE	2009 - 2011					OF	042/420007 Read online release notes and kit composition for system configuration	
Toyota	RAV4 Hybrid	2494	2.5 2AR-FXE	2008-					OF	042/420017 Read online release notes and kit composition for system configuration	CNG
Toyota	VIGO	2693	2.7 2TR-FE	2004-					OF	042/420005 Read online release notes and kit composition for system configuration	CNG Non-universal Software
Toyota	Revo/Vigo	2693	2.7 VVTi 2TR-FE	2012-2020					OF	042/420020 Read online release notes and kit composition for system configuration	CNG Universal Software
Toyota	Tundra	5663	5.7 v8 3UR-FE	2006-2020					OF	042/420019 Read online release notes and kit composition for system configuration	



VAG	Various models	1600	1.6 BSE	2004 - 2015	VW					ValveCare-DI installation	
-----	----------------	------	---------	-------------	----	--	--	--	--	---------------------------	--



Volkswagen	Polo 6R	1390	1.4 CGGB	2009 - 2014	VW					ValveCare-DI installation	
Volkswagen	Polo 9N	1390	1.4 BUD	2006 - 2009	VW					ValveCare-DI installation	
Volkswagen	Sharan	1984	2.0 ATM	1995 - 2010	VW					ValveCare-DI installation Fit special CNG cylinder head original Volkswagen	

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Volkswagen	T5	1984	2.0 AXA	2003 - 2015	VW					ValveCare-DI installation Fit special CNG cylinder head original Volkswagen	
Volkswagen	Golf IV	2792	2.8 v6 BDE	1999 - 2005	VW					ValveCare-DI installation	
Volkswagen	T5	3189	3.2 v6 BDL	2003 - 2004	VW					ValveCare-DI installation	
Volkswagen	Phaeton	3189	3.2 v6 BKL	2002 - 2005	VW					ValveCare-DI installation	
Volkswagen	Touareg	3189	3.2 v6 BMV	2004 - 2006	VW					ValveCare-DI installation	
Volkswagen	Golf	3189	3.2 v6 BUB	2005 - 2008	VW					ValveCare-DI installation	
Volkswagen	Touran	3952	4.0 v6 EGQ	2009		IS				47 ohm / 5 watt parallel resistor (see last page) Do not use AFC 180/700033/D	



Volvo	S40/V50	1798	1.8 B4184S11	2004 - 2010	VW					ValveCare-DI installation	
Volvo	V70 AT	1984	2.0 B5204T	2013					OF	042/440006 Read online release notes and kit composition for system configuration	CNG
Volvo	V70 MT	1984	2.0 B5204T	2013					OF	042/440007 Read online release notes and kit composition for system configuration	CNG
Volvo	V60 AT	1984	2.0 B5204T	2015					OF	042/440010 Read online release notes and kit composition for system configuration	CNG
Volvo	V70 AT	1984	2.0 B5204T	2015					OF	042/440011 Read online release notes and kit composition for system configuration	CNG
Volvo	V70 MT	1984	2.0 B5204T	2015					OF	042/440012 Read online release notes and kit composition for system configuration	CNG

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
Volvo	V70 AT Taxi	1984	2.0 B5204T	2015					OF	042/440019 Read online release notes and kit composition for system configuration	CNG
Volvo	V70 MT Taxi	1984	2.0 B5204T	2015					OF	042/440020 Read online release notes and kit composition for system configuration	CNG
Volvo	V70 AT	1984	2.0 B5204T9	2013–2015					OF	042/440001 Read online release notes and kit composition for system configuration	CNG
Volvo	940	2316	2.3 B230FK	-		IS				47 ohm / 5 watt parallel resistor (see last page) Do not use AFC 180/700033/D	
Volvo	S60/V70	2435	2.4 B5244T3	2000 - 2010	VW					ValveCare-DI installation	
Volvo	960 / V90	2500 / 3000	-	-		IS				47 ohm / 5 watt parallel resistor (see last page) Do not use AFC 180/700033/D	
Volvo	850	2521	2.5 B5254F / FS / S	-					OF	042/440039 Read online release notes and kit composition for system configuration	Simultaneous injection
Volvo	Various models	2521	2.5 B5254T2	2002 - 2014	VW				OF	ValveCare-DI installation Please contact Prins for more information/solution	DTC petrol pressure range/performance. Car changes between 2 different fuel pressures.
Volvo	Various models	2521	2.5 B5254T3	2005 - 2001	VW				OF	ValveCare-DI installation Please contact Prins for more information/solution	
Volvo	S60 R / V70 R	2521	2.5 B5254T4	2004–2007	VW				OF	ValveCare-DI installation Please contact Prins for more information/solution	
Volvo	Various models	2521	2.5 B5254T6	2008–2009				PLSS	OF	042/440045 Read online release notes and kit composition for system configuration	
Volvo	Various models	3192	3.2 B6324S	2007–2014-	VW			PLSS	OF	ValveCare-DI installation 042/440061 Read online release notes and kit composition for system configuration	
Volvo	S80	4414	4.4 v8 B8444S	2006 -2012				PLSS	OF	042/440044 Read online release notes and kit composition for system configuration	eVP-500 only
Volvo	XC90	4414	4.4 v8 B8444S	2005-2010	VW			PLSS	OF	ValveCare-DI installation 042/440060 Read online release notes and kit composition for system configuration	eVP-500 only

Brand	Model	Engine capacity (cc)	Engine code	Year of construction	Valve Wear (VW) <100.000km	Petrol Injector Simulation (IS)	Petrol Gauge (PG)	Petrol Low Pressure Simulation (PLPS)	Online Firmware (OF)	Solution	Remarks / Description
-------	-------	----------------------	-------------	----------------------	-------------------------------	---------------------------------	-------------------	---------------------------------------	----------------------	----------	-----------------------

Parallel Resistor VSI-2.0

